HAEBERLE
mobile workstations

Type list valid from 1 July 2019

versatile and good value

multipurpose trolleys

08/16®

08/16®

Multipurpose trolleys 08/16®

HAEBERLE

The practical multipurpose white trolley series for innumerable fields of applications.

Advantages of the system:

- **Multifunctionality**
  The system offers all types of trolleys. Simple basic trolleys or fully equipped function trolleys. Small shelf trolleys for narrow rooms, drawers and a wide range of accessories.
- **Modularity**
  You design your own trolley according to your individual needs.
- **Hygiene**
  Mostly closed, easy to clean surfaces.
- **Material**
  High quality, five-layer, white shelves with melamin resin coating on all sides, non-fade, resistant against common disinfactants.
- **Square tubular steel frame**
  white varnished and very sturdy.
- **Drawers**
  white, with veneered fronts and elegant white handles. Special light telescopic guide rollers with click-in-mechanism. Optionally available with lockable drawer.
- **Castors**
  in 3 sizes (Ø 50 mm, Ø 75 mm, Ø 100 mm). Optionally lockable or electrically conductive.
- **Colours**
  Shelves, drawers and handles in white colour. The frame corner connectors are grey. Other beautiful colours for handles you can find on page 8.
- **Assembly**
  All 08/16® models will be delivered flat packed unless otherwise noted. For an additional charge a delivery of assembled trolleys is possible.
- **Basic trolley dimensions**

Widths:	340 / 490 / 600 or 900 mm
Depths:	260 / 450 mm
Heights:	520 / 705 / 730 / 805 / 830 mm

- **Drawers interior dimensions**
  08/16 – 300 mm wide: 242 x 384 x 74 mm (w x d x h)
  08/16 – 450 mm wide: 392 x 384 x 74 mm (w x d x h)
  08/16 – 600 mm wide: 502 x 384 x 74 mm (w x d x h)
- **Loading capacity**

Total:	approx. up to 50 kg
Shelves without outer edges:	approx. up to 10 kg
Shelves with outer edges:	approx. up to 20 kg
Drawers:	approx. up to 10 kg

- **Special models**
  We produce all types of special trolleys according to your needs. Just call us and let us design your own model.

Basic trolleys 520 / 705 / 730 / 805 / 830 mm high

all dimensions
in mm



Shelf trolleys 705 / 730 / 805 / 830 mm high

all dimensions
in mm



Item	Description	Ref. no.

08/16®

The basic models with high quality white shelves, drawers, handles and with sturdy, white varnished square tubular steel frame. Combinable in 4 widths, 5 heights and 7 handle colours.

08/16® Basic trolleys 30 / 45

08/16®
Basic trolley 30
705 mm high

model mini

for small devices and narrow spaces, shelves 300 mm wide, castors: Ø 50 mm, white.

Dim.: 340 x 450 x 705 mm (w x d x h)

Model with	
1 drawer	**15871**
2 drawers	**10410**
3 drawers	**10411**
4 drawers	**10412**

08/16®
Basic trolley 30
805 mm high

shelves 300 mm wide, castors: Ø 50 mm, white.

Dim.: 340 x 450 x 805 mm (w x d x h)

Model with	
1 drawer	**10418**
2 drawers	**10413**
3 drawers	**10414**
4 drawers	**10415**
5 drawers	**10416**

08/16®
Basic trolley 45
705 mm high

shelves 450 mm wide, castors Ø 50 mm, white.

Dim.: 490 x 450 x 705 mm (w x d x h)

Model with	
1 drawer	**15139**
2 drawers	**15155**
3 drawers	**15156**
4 drawers	**15041**

08/16®
Basic trolley 45
805 mm high

shelves 450 mm wide, castors Ø 50 mm, white

Dim.: 490 x 450 x 805 mm (w x d x h)

Model with	
1 drawer	**15043**
2 drawers	**15079**
3 drawers	**15080**
4 drawers	**15081**
5 drawers	**15082**

08/16®
Underneath trolley 45
520 mm high

fits perfectly below examination couches.
Shelf 450 mm wide, castors Ø 50 mm, white

Dim.: 490 x 450 x 520 mm (w x d x h)

Model with	
1 drawer	**12095**
2 drawers	**12096**
3 drawers	**12097**

Multipurpose trolley 08/16®

Item	Description	Ref. no.

08/16® Basic trolleys 60 / 90

08/16®
Basic trolley 60
730 mm high

bestseller

shelves 560 mm wide, castors Ø 75 mm, white.

Dim.: 600 x 450 x 730 mm (w x d x h)

Model with

1 drawer	**12075**
2 drawers	**12076**
3 drawers	**12077**
4 drawers	**17205**

08/16®
Basic trolley 60
830 mm high

shelves 560 mm wide, castors Ø 75 mm, white.

Dim.: 600 x 450 x 830 mm (w x d x h)

Model with

1 drawer	**14754**
2 drawers	**14755**
3 drawers	**14756**
4 drawers	**14757**
5 drawers	**15391**

08/16®
Underneath trolley 60
520 mm high

fits perfectly below examination couches.
Shelves 560 mm wide, castors Ø 50 mm, white.

Dim.: 600 x 450 x 520 mm (w x d x h)

Model with

1 drawer	**12078**
2 drawers	**12179**
3 drawers	**12180**

08/16®
Basic trolley 90
830 mm high

Wide basic cart with 2 shelves 860 mm wide, 1 drawer 100 mm high, 2 stabilisation rails, castors Ø 75 mm (2 lockable), white.

Dim.: 900 x 450 x 830 mm (w x d x h)

Model with

1 drawer	**17277**
2 drawers	**11008**
3 drawers	**11020**

08/16® Shelf trolleys 30 / 45

08/16®
Shelf trolley 30
705 mm high

model mini

with 3 shelves, 300 mm wide and 3 stabilisation rails. Castors Ø 50 mm, white. **15894**

Dim.: 340 x 450 x 705 mm (w x d x h)

Ideal for small devices and narrow spaces.

08/16®
Shelf trolley 45
805 mm high

with 3 shelves, two of them with outer edges, the middle one with 1 stabilisation rail. Castors Ø 50 mm, white. **14514**

Dim.: 490 x 450 x 805 mm (w x d x h)

Item	Description	Ref. no.

08/16® Shelf trolleys 60 / 90

08/16®
Shelf trolleys 60
730 mm high

modell mini

with 3 shelves with outer edges. Castors Ø 50 mm, white.

Dim.: 600 x 260 x 730 mm (w x d x h)

Only 260 mm deep. Ideal for narrow treatment cabins.

12057

08/16®
Shelf trolleys 60
830 mm high

with 3 shelves, two of them with outer edges, 1 stabilisation rail. Castors Ø 75 mm, white.

Dim.: 600 x 450 x 830 mm (w x d x h)

15150

08/16®
Shelf trolleys 90
830 mm high

with 3 shelves, two of them with outer edges, 1 stabilisation rail. Castors Ø 75 mm (2 lockable), white.

Dim.: 900 x 450 x 830 mm (w x d x h)

17153

08/16® Functional trolleys

Equipment trolleys

08/16®
Equipment trolley 30

modell mini

Basic trolley, 805 mm high, with 1 drawer, 2 shelves, equipment console (load capacity max. 5 kg), and 2 stabilisation rails. Castors Ø 50 mm, white.

Outer dim.:
340 x 450 x 985 mm (w x d x h)

Equipment console 30
340 x 250 x 180 mm (w x d x h)

17171

08/16®
Equipment trolley 45

Shelf trolley, 830 mm high, with equipment console (load capacity max. 5 kg), 3 shelves, two of them with outer edges and 1 stabilisation rail. Castors Ø 75 mm, white.

Dim. of the console:
490 x 450 x 1010 mm (w x d x h)

Equipment console 45:
Dim.: 490 x 250 x 180 mm (w x d x h)

14434

Multipurpose trolley 08/16®

Item	Description	Ref. no.

Computer trolley / Standing workstations / Writing desk / Ergometry trolley

08/16®
Computer trolley 60

Multipurpose trolley 08/16® with 2 shelves, keyboard plate with extensible mouse pad and anti-sliding mat, 2 stabilisation rails. Castors Ø 75 mm (2 lockable), white. **14770**

Dim.: 600 x 450 x 830 mm (w x d x h)

08/16®
Standing workstation laptop trolley
45 / 60

Multipurpose trolley 08/16® with 2 shelves with outer edges, 1 shelf without outer edges, 1 drawer 100 mm high. Castors Ø 50 mm, white. Ready assembled.

Trolley 45
Dim.: 490 x 450 x 1000 mm (w x d x h) **17121**

Trolley 60
Dim.: 600 x 450 x 1000 mm (w x d x h) **17120**

08/16®
Standing workstation /
45 / 60

modell retrofittable

Can be retrofitted at any time due to square tubular steel frame with plug-in system. Multipurpose trolley 08/16® with 2 shelves without outer edges, 1 drawer 100 mm high. Castors Ø 75 mm, white. Ready assembled,

with drawer, 450 mm wide
Dim.: 490 x 450 x 1000 mm (w x d x h) **05075**

with drawer, 600 mm wide
Dim.: 600 x 450 x 1000 mm (w x d x h) **05065**

The trolley can be equipped with up to seven, (100 mm high) drawers.

08/16®
Writing desk 60

Basic trolley, 830 mm high, with 2 shelves, inclined writing surface, inset for writing utensils, built-in shelf, clear height 200 mm. 1 drawer with rear panel and 1 stabilisation rail. Castors Ø 75 mm (2 lockable), white. Ready assembled. **17117**

Dim.: 600 x 450 x 1170 mm (w x d x h)

Recommendable:
- additional shelf without outer edge, white **05537**
- pull out shelf, to the right and left side, white **05404**

08/16®
Ergometry trolley 60

Basic trolley, 730 mm high, with 2 shelves, 1 drawer 100 mm high, equipment console (load capacity max. 5 kg), 2 stabilisation rails and cable and hose holder (ref. no. 10265). Castors Ø 75 mm (2 lockable), white. **15167**

Dim.: 600 x 450 x 910 mm (w x d x h)

Item	Description	Ref. no.

Cabinet trolley / Treatment trolleys / Injection trolleys

08/16®
Cabinet trolley 60

with 1 drawer, 1 shelf, 1 compartment insert and 2 doors. Castors: Ø 75 mm, white. Ready assembled.

15862

Dim.: 600 x 450 x 830 mm (w x d x h)

08/16®
Treatment trolley 60
COMPACT

Basic trolley, 730 mm high, with 2 shelves, 1 drawer, and variable drawer inset, dressing dispenser COMPACT with console support, waste container with stainless steel bowl. 2 stabilisation rails. Castors Ø 75 mm (2 lockable), white.

15152

Dim.: 600 x 450 x 1330 mm (w x d x h)

08/16®
Treatment trolley 60
PicBox® multi

Basic trolley, 730 mm high, with 2 shelves, 1 drawer, and variable drawer inset, injection set PicBox® multi with white plastic veneered casing, console support, waste container with stainless steel bowl, 2 stabilisation rails. Castors Ø 75 mm (2 lockable), white.

15561

Dim.: 600 x 450 x 1330 mm (w x d x h)

08/16®
Injection trolley 60
PicBox® Plus

Basic trolley, 730 mm high, with 2 shelves, 1 drawer, and variable drawer inset, injection set PicBox® Plus, (grey-white), with console support, waste container with stainless steel bowl, arm support, "Schluckfix" canula container (set of 20 boxes) with attachment, 2 stabilisation rails. Castors Ø 75 mm (2 lockable), white.

15154

Dim.: 600 x 450 x 1290 mm (w x d x h)

08/16®
Injection trolley 60
COMPACT

Basic trolley, 730 mm high, with 2 shelves, 1 drawer, and variable drawer inset, injection set COMPACT with console support, waste container with stainless steel bowl, arm support, "Schluckfix" canula container (set of 20 boxes) with attachment, 2 stabilisation rails. Castors Ø 75 mm (2 lockable), white.

15166

Dim.: 600 x 450 x 1330 mm (w x d x h)

Item	Description	Ref. no.

System parts and accessories for **08/16®**

All parts can easily be mounted at the 08/16® trolleys. The reference numbers include the accessory complete with bracket and mounting parts.

Drawer handles / Drawer insets / Rear panels for drawers / Drawers h 200 mm / Equipment consoles

Drawer handles



ergonomic designer handles:

grey	**13161**
blue	**13162**
violet red	**13163**
yellow	**13164**
turquoise	**13165**
white	**13166**
black	**13167**

Drawer inset 45 / 60 / 90

made of transparent synthetic material, with variable partitions and flexible dividers, removable and suitable for cleaning in the dishwasher,

for trolley 45
Dim.: 390 x 385 x 55 mm (w x d x h) **16724**

for trolley 60
Dim.: 500 x 385 x 55 mm (w x d x h) **16723**

for trolley 90
Dim.: 800 x 385 x 55 mm (w x d x h) **05100**

Rear panel for drawer 30 / 45 / 60 / 90

white, **100 mm** high

for trolley 30 **16186**
Dim.: 296 x 105 mm (w x h)

for trolley 45 **15753**
Dim.: 447 x 105 mm (w x h)

for trolley 60 **15752**
Dim.: 555 x 105 mm (w x h)

for trolley 90 **05084**
Dim.: 857 x 105 mm (w x h)

Drawer with guard rail 45 / 60 / 90

white, handle white, **200 mm** high, can not be retrofitted.

for trolley 45
Inner dim.: 382 x 385 x 120 mm (w x d x h) **15473**

for trolley 60
Inner dim.: 502 x 385 x 120 mm (w x d x h) **05050**

for trolley 90
Inner dim.: 802 x 385 x 120 mm (w x d x h) **05083**

Equipment console 30 / 45 / 60 / 90

new



made of sheet steel, white-aluminium (RAL 9006), powder-coated, load capacity max. 5 kg.

for trolley 30
Dim.: 340 x 250 x 180 mm (w x d x h) **11320**

for trolley 45
Dim.: 490 x 250 x 180 mm (w x d x h) **17110**

for trolley 60
Dim.: 600 x 250 x 180 mm (w x d x h) **09499**

for trolley 90
Dim.: 900 x 250 x 180 mm (w x d x h) **05102**

Item	Description	Ref. no.

Castors / Waste collectors / Holder for hygiene bags / Waste container / Canula container / Disposal boxes / Holders

Castors surcharge		2 castors, lockable, Ø 50 mm, 4 castors Ø 75 mm, 2 castors, lockable, Ø 75 mm, 4 castors, electrically conductive, Ø 75 mm, 4 castors Ø 100 mm, 2 castors, lockable, Ø 100 mm.	**05410** **15328** **05411** **05413** **05615** **05616**
Waste collector ″tomo″		made of smooth and easy to clean plastic (100% polypropylene), grey RAL 7045, with detachable, well closing lid and with mount. Capacity 10 litres (for disposable bags approx. w 450 x h 350 mm). **Dim.: 315 x 180 x 315 mm (w x d x h)** for 08/16® trolley for standard profile rail	 **11026** **14066**
Waste collector ″Klapp-Kuli″		Sheet steel, aluminium colour, powder-coated. **Dim.: 310 x 140 x 420 mm (w x d x h)** for 08/16® trolley with 2 drawers or more for screwing with side panels.	 **09961**
Holder for hygiene bags		for attaching at the right or left side of the ″**Klapp-Kuli**″, aluminium colour.	**08173**
Hygiene bags		made of paper with imprint. Price per 100 pieces. Minimum quantity 500 pieces = 1 unit p.h.	**05192**
Waste container		Ø 320 mm, made of stainless steel with pivot arm and fastening clamp for 08/16® trolley.	**04615**
Waste container for instruments		Polypropylene bowl white, can be sterilized up to 134°C. With pivot arm and fastening clamp for 08/16® trolley. **Dim.: 300 x 230 x 130 mm (w x d x h)** **with** slit lid **without** slit lid	 **04616** **04626**
Canula container ″Schluckfix″		Disposable container for approx. 500 used canulas made of black recycled plastic. **Dim.: 55 x 100 x 170 mm (w x d x h)** Set with **20 boxes** and 08/16® holder Set with **100 boxes**, without holder	 **09498** **09490**
Holder		separately for ″Schluckfix″ to 08/16® trolley	**04666**
″Medi-Müll″ disposal box à 1.5 litres capacity		made of yellow polypropylene with green lid. Offers 3 practical ways for disposing of canulas, vacutainers, scalpels, pipettes, etc. **Dim.: Height of the box 152 mm** **Ø lid 143 mm / Ø base 108 mm** Set with **20 boxes** and 08/16® holder Set with **100 boxes**, without holder	 **04778** **16653**
Holder		separately, Ø 129 mm, for ″Medi-Müll″ box to 08/16® trolley	**04670**

Multipurpose trolley 08/16®

Item	Description	Ref. no.

Ampoule opener / Holder / Injection sets / Dressing dispenser

Ampoule opener "CUPFIX"

Grey-white plastic casing, removable holder for ampoules. Diamond file, spring-mounted, in stainless steel casing. With holder for 08/16® trolley. **05771**

Dim.: 70 x 180 x 180 mm (w x d x h)

Spare diamond file for "CUPFIX" **04663**

Holder

separately for "CUPFIX" to 08/16® trolley **04662**

The ref. no. contain 1 pair console supports. Other dispenser models can be found in separater price list with dispenser systems.

Injection set "PicBox®"

Grey-white plastic casing with clear plexiglass boxes. Consisting of syringe dispenser with 3 boxes, canulas dispenser with 5 boxes. According to the **first-in/first-out principle** and dust protection in accordance to DIN 58953. The boxes are replenished from the top, the material taken from below. This ensures that items placed in first will also be used first. **11381**

Dim.: 600 x 220 x 410 mm (w x d x h)

Injection set "PicBox®"plus

Description like injection set "PicBox®" but **with KOMBI set**. **11377**

Dim.: 725 x 235 x 410 mm (w x d x h)

Injection set "PicBox®"multi

Description like injection set "PicBox®" above, but with elegant, **white casing**, high quality plastic veneer. **16335**

Dim.: 630 x 235 x 435 mm (w x d x h)

Injection set "COMPACT"

High quality casing, white plastic veneer, practical compartments with inclination for syringes and canulas. To be filled from above, material is removed from below, according to the **first-in/first-out principle**. **04538**

Dim.: 600 x 220 x 450 (w x d x h)

Injection set "COMPACT"
4 syringe compartments

new

High quality casing, white plastic veneer, practical compartments with inclination for syringes and canulas. To be filled from above, material is removed from below, according to the **first-in/first-out principle**. **04539**

Dim.: 600 x 220 x 450 (w x d x h)

Dressing dispenser "COMPACT"

High quality casing, white plastic veneer, sealed through plexiglass cover, ideally arranged for easy access; with 2 stainless steel magnetic holders for scissors etc. **04537**

Dim.: 600 x 220 x 450 mm (w x d x h)

Item	Description	Ref. no.

Console support / Arm support / Catheter holder / Cable and hose holders / Infusion bottle holder / Holders for oxygen bottles / Multiple socket outlet

Console support for cabinet trolley		1 pair for attaching to the 08/16® cabinet trolley, white-aluminium (RAL 9006), powder-coated. Suitable for injection set and dressing dispenser "COMPACT", injection sets "PicBox®" and "PicBox®" plus. **Dim.: 140 x 43 x 190 mm (w x d x h)** **Usable height: 166 mm**	**05099**
Arm support		black, padded with integral upholstered foam, extra sturdy, with 2 fastening clamps for 08/16® trolley.	**09496**
Catheter holder		made of stainless steel, 3-fold divided, for hanging on 08/16® frame. **Dim.: 160 x 96 x 560 mm (w x d x h)**	**04624**
Cable and hose holder		made of silver coloured aluminium, with one-hand push-button adjustment. 2 joints, 2 cable routing elements incl. fastening clamp. Range approx. 950 mm	**10265**
Cable and hose holder with flex-shaft		with 2 joints of plastic, arms made of silver coloured aluminium and chromium-plated flex-shaft incl. fastening clamp.	**16650**
Infusion bottle holder		chrome plated, with 4 hooks, 100 cm long, extension from 85 – 185 cm, Ø 16 mm, with locking screw and 2 fixing clamps.	**04621**
Holder		for oxygen bottles of 2 litres; white-aluminium (RAL 9006). Upper supporting ring Ø 102 mm, lower supporting ring Ø 84 mm.	**04811**
Holder		for oxygen bottles of 5/10 litres and Ø up to 145 mm. Upper holder with fixing strap included. Upper holder with fixing strap, separately.	**17298** **16324**
Multiple socket outlet standard		with rear panel for drawer, 4 grounding sockets, light-grey cable (3 m long) with moulded grounding plug, green 2-pin switch, quality housing anodised aluminium, 2 grey plastic fastening angles included. for trolley 45 for trolley 60	 **21697** **21691**

All prices are understood exclusive of VAT. As an innovative company we reserve the right to amend prices and designs. Our General Terms and Conditions of Business in the valid version apply.

WEEE-Reg. no. DE 20235235

HAEBERLE

mobile workstations

Our versatile product range



Your medical distributor

HAEBERLE GmbH + Co. KG
Breitwiesenstr. 13, DE-70565 Stuttgart
P.O.Box 800524, DE-70505 Stuttgart
Phone +49 (0) 711/78314-0
Fax +49 (0) 711/78314-77
info@haeberle-med.de
www.haeberle-med.de

Version 07/19